Brain Research, 492 (1989) 408–410
Elsevier

Author Index

Alabadi, J.A., see Miranda, F.J., 45
Alborch, E., see Miranda, F.J., 45
Aoki, M., see Fujito, Y., 36
Aoki, M., see Satomi, H., 255

Baldwin, B.A., see Kendrick, K.M., 211
Ball, G.F., see Balthazart, J., 163
Balthazart, J. and Ball, G.F., Effects of the noradrenergic neurotoxin DSP-4 on luteinizing hormone levels, catecholamine concentrations, α_2-adrenergic receptor binding, and aromatase activity in the brain of the Japanese quail, 163
Belluzzi, J.D., see Trujillo, K.A., 15
Bennett, M.C., see Diamond, D.M., 356
Björklund, A., see Kalén, P., 187
Bommer, M., Nikolarakis, K., Noble, E.P. and Herz, A., In vivo modulation of rat hypothalamic opioid peptide content by intracerebroventricular injection of guanidinoethylmercaptosuccinic acid (GEMSA): possible physiological role of enkephalin convertase, 305
Brassard, D.L., see Monsma Jr., F.J., 314
Bray, G.A., see Sakaguchi, T., 271

Campochiaro, P.A, see Friedman, Z., 29
Campos, V., see Miranda, F.J., 45
Cassell, M.D., see Gotow, T., 325
Castellano, B., Gonzalez, B. and Palacios, G., Cytochemical demonstration of TPPase in myelinated fibers in the central and peripheral nervous system of the rat, 203
Chamberlin, N.L. and Dingledine, R., Control of epileptiform burst rate by CA3 hippocampal cell afterhyperpolarizations in vitro, 337
Chang, J.-Y., Ekblad, E., Kannisto, P. and Owman, C., Serotonin uptake into cerebrovascular nerve fibers of rat, visualization by immunohistochemistry, disappearance following sympathectomy, and release during electrical stimulation, 79
Chesselet, M.-F. and Robbins, E., Characterization of striatal neurons expressing high levels of glutamic acid decarboxylase messenger RNA, 237
Chiba, T., see Kawano, H., 139
Cipolloni, P.B. and Keller, A., Thalamocortical synapses with identified neurons in monkey primary auditory cortex: a combined Golgi/EM and GABA/peptide immunocytochemistry study, 347
Clarke, J.F., see Shea, T.B., 53
Cornelio, F., see Mora, M., 404
Crépel, F., see Hicks, T.P., 371
Crutcher, K.A., see Saffran, B.N., 245
Czlonkowska, A., see Rieske, E., 1

Daly, J.W., see Gusovsky, F., 72
De Groat, W.C., see Noto, H., 99
Diamond, D.M., Bennett, M.C., Engstrom, D.A., Fleshner, M. and Rose, G.M., Adrenalectomy reduces the threshold for hippocampal primed burst potentiation in the anesthetized rat, 356
Dichter, M.A. and Zona, C., Calcium currents in cultured rat cortical neurons, 219
Dietzel, I., see Misgeld, U., 149
Dingledine, R., see Chamberlin, N.L., 337

Edgerton, V.R., see Hutton, R.S., 230
Ekblad, E., see Chang, J.-Y., 79
Engstrom, D.A., see Diamond, D.M., 356

Fleshner, M., see Diamond, D.M., 356
Florio, T., see Schettini, G., 65
Friedman, Z., Hackett, S.F., Linden, J. and Campochiaro, P.A., Human retinal pigment epithelial cells in culture possess A_2-adenosine receptors, 29
Fujito, Y., Kawasaki, H. and Aoki, M., Motor recovery after cross-reinnervation of a forelimb nerve by the phrenic nerve in cats, 36

Garrick, N.A., see Mefford, I.N., 377
Getchell, M.L., see Zielinski, B.S., 361
Getchell, T.V., see Zielinski, B.S., 361
Gibson, S.J., see Mora, M., 404
Gonzalez, B., see Castellano, B., 203
Gotow, T., Williams, T.H., Jew, J.Y., Cassell, M.D., Palkovits, M. and Hashimoto, P.H., Collateral sprouting of somatostatin-immunoreactive axons after partial deafferentation of the central nucleus of the rat amygdala, 325
Graeber, M.B., see Rieske, E., 1
Granata, A.R. and Kitai, S.T., Intracellular study of nucleus parabrachialis and nucleus tractus solitarii interconnections, 281
Grimaldi, M., see Schettini, G., 65
Gusovsky, F., Secunda, S.I. and Daly, J.W., Pyrethroids: involvement of sodium channels in effects on inositol phosphate formation in guinea pig synaptoneurosomes, 72
Guyenet, P.G., see Sun, M.-K., 261

Hackett, S.F., see Friedman, Z., 29
Harary, N. and Kellogg, C., The relationship of benzodiazepine binding sites to the norepinephrine projection in the hypothalamus of the adult rat, 293
Hashimoto, P.H., see Gotow, T., 325
Herz, A., see Bommer, M., 305
Hicks, T.P., Krupa, M. and Crépel, F., Selective effects of serotonin upon excitatory amino acid-induced depolarizations of Purkinje cells in cerebellar slices from young rats, 371
Hofmann, M.H., Michler, A. and Meyer, D.L., Thyroxine influences neuronal connectivity in the adult frog brain, 389
Hutton, R.S., Roy, R.R. and Edgerton, V.R., Co-contractions in antagonistic hindlimb muscles during simulated step cycle rates, 230

Jew, J.Y., see Gotow, T., 325

Kalén, P., Strecker, R.E., Rosengren, E. and Björklund, A., Regulation of striatal serotonin release by the lateral habenula-dorsal raphe pathway in the rat as demonstrated by

Brain Research, 492 (1989) 408–410
Elsevier

Author Index

Alabadi, J.A., see Miranda, F.J., 45
Alborch, E., see Miranda, F.J., 45
Aoki, M., see Fujito, Y., 36
Aoki, M., see Satomi, H., 255

Baldwin, B.A., see Kendrick, K.M., 211
Ball, G.F., see Balthazart, J., 163
Balthazart, J. and Ball, G.F., Effects of the noradrenergic neurotoxin DSP-4 on luteinizing hormone levels, catecholamine concentrations, α_2-adrenergic receptor binding, and aromatase activity in the brain of the Japanese quail, 163
Belluzzi, J.D., see Trujillo, K.A., 15
Bennett, M.C., see Diamond, D.M., 356
Björklund, A., see Kalén, P., 187
Bommer, M., Nikolarakis, K., Noble, E.P. and Herz, A., In vivo modulation of rat hypothalamic opioid peptide content by intracerebroventricular injection of guanidinoethylmercaptosuccinic acid (GEMSA): possible physiological role of enkephalin convertase, 305
Brassard, D.L., see Monsma Jr., F.J., 314
Bray, G.A., see Sakaguchi, T., 271

Campochiaro, P.A, see Friedman, Z., 29
Campos, V., see Miranda, F.J., 45
Cassell, M.D., see Gotow, T., 325
Castellano, B., Gonzalez, B. and Palacios, G., Cytochemical demonstration of TPPase in myelinated fibers in the central and peripheral nervous system of the rat, 203
Chamberlin, N.L. and Dingledine, R., Control of epileptiform burst rate by CA3 hippocampal cell afterhyperpolarizations in vitro, 337
Chang, J.-Y., Ekblad, E., Kannisto, P. and Owman, C., Serotonin uptake into cerebrovascular nerve fibers of rat, visualization by immunohistochemistry, disappearance following sympathectomy, and release during electrical stimulation, 79
Chesselet, M.-F. and Robbins, E., Characterization of striatal neurons expressing high levels of glutamic acid decarboxylase messenger RNA, 237
Chiba, T., see Kawano, H., 139
Cipolloni, P.B. and Keller, A., Thalamocortical synapses with identified neurons in monkey primary auditory cortex: a combined Golgi/EM and GABA/peptide immunocytochemistry study, 347
Clarke, J.F., see Shea, T.B., 53
Cornelio, F., see Mora, M., 404
Crépel, F., see Hicks, T.P., 371
Crutcher, K.A., see Saffran, B.N., 245
Czlonkowska, A., see Rieske, E., 1

Daly, J.W., see Gusovsky, F., 72
De Groat, W.C., see Noto, H., 99
Diamond, D.M., Bennett, M.C., Engstrom, D.A., Fleshner, M. and Rose, G.M., Adrenalectomy reduces the threshold for hippocampal primed burst potentiation in the anesthetized rat, 356
Dichter, M.A. and Zona, C., Calcium currents in cultured rat cortical neurons, 219
Dietzel, I., see Misgeld, U., 149
Dingledine, R., see Chamberlin, N.L., 337

Edgerton, V.R., see Hutton, R.S., 230
Ekblad, E., see Chang, J.-Y., 79
Engstrom, D.A., see Diamond, D.M., 356

Fleshner, M., see Diamond, D.M., 356
Florio, T., see Schettini, G., 65
Friedman, Z., Hackett, S.F., Linden, J. and Campochiaro, P.A., Human retinal pigment epithelial cells in culture possess A_2-adenosine receptors, 29
Fujito, Y., Kawasaki, H. and Aoki, M., Motor recovery after cross-reinnervation of a forelimb nerve by the phrenic nerve in cats, 36

Garrick, N.A., see Mefford, I.N., 377
Getchell, M.L., see Zielinski, B.S., 361
Getchell, T.V., see Zielinski, B.S., 361
Gibson, S.J., see Mora, M., 404
Gonzalez, B., see Castellano, B., 203
Gotow, T., Williams, T.H., Jew, J.Y., Cassell, M.D., Palkovits, M. and Hashimoto, P.H., Collateral sprouting of somatostatin-immunoreactive axons after partial deafferentation of the central nucleus of the rat amygdala, 325
Graeber, M.B., see Rieske, E., 1
Granata, A.R. and Kitai, S.T., Intracellular study of nucleus parabrachialis and nucleus tractus solitarii interconnections, 281
Grimaldi, M., see Schettini, G., 65
Gusovsky, F., Secunda, S.I. and Daly, J.W., Pyrethroids: involvement of sodium channels in effects on inositol phosphate formation in guinea pig synaptoneurosomes, 72
Guyenet, P.G., see Sun, M.-K., 261

Hackett, S.F., see Friedman, Z., 29
Harary, N. and Kellogg, C., The relationship of benzodiazepine binding sites to the norepinephrine projection in the hypothalamus of the adult rat, 293
Hashimoto, P.H., see Gotow, T., 325
Herz, A., see Bommer, M., 305
Hicks, T.P., Krupa, M. and Crépel, F., Selective effects of serotonin upon excitatory amino acid-induced depolarizations of Purkinje cells in cerebellar slices from young rats, 371
Hofmann, M.H., Michler, A. and Meyer, D.L., Thyroxine influences neuronal connectivity in the adult frog brain, 389
Hutton, R.S., Roy, R.R. and Edgerton, V.R., Co-contractions in antagonistic hindlimb muscles during simulated step cycle rates, 230

Jew, J.Y., see Gotow, T., 325

Kalén, P., Strecker, R.E., Rosengren, E. and Björklund, A., Regulation of striatal serotonin release by the lateral habenula-dorsal raphe pathway in the rat as demonstrated by

in vivo microdialysis: role of excitatory amino acids and GABA, 187
Kannisto, P., see Chang, J.-Y., 79
Kawano, H., Chiba, T. and Masuko, S., An immunohistochemical observation of polypeptides and monoamines in the nucleus preopticus medianus of the rat, 139
Kawasaki, H., see Fujito, Y., 36
Keller, A., see Cipolloni, P.B., 347
Kellogg, C., see Harary, N., 293
Kendrick, K.M. and Baldwin, B.A., The effects of sodium appetite on the responses of cells in the zona incerta to the sight or ingestion of food, salt and water in sheep, 211
Kitai, S.T., see Granata, A.R., 281
Kito, S., see Shimoyama, M., 381
Klemfuss, H. and Kripke, D.F., Potassium advances circadian activity rhythms: interactions with lithium, 300
Kopp, M., see Szabolcs, M.J., 129
Kosaka, I., see Satomi, H., 255
Kreutzberg, G.M., see Rieske, E., 1
Kripke, D.F., see Klemfuss, H., 300
Krupa, M., see Hicks, T.P., 371
Kumashiro, H., see Yokoyama, N., 158

Landolfi, E., see Schettini, G., 65
Lee, K., see Seubert, P., 366
Levine, J.D., see Taiwo, Y.O., 397
Levine, J.D., see Taiwo, Y.O., 400
Linden, J., see Friedman, Z., 29
Lynch, G., see Seubert, P., 366

Marchi, M., see Mora, M., 404
Marino, A., see Schettini, G., 65
Martin, F.R., Roberts Jr., E.L. and Rosenthal, M., Potassium-induced increases in oxygen consumption are diminished by age in rat hippocampal slices, 392
Masuko, S., see Kawano, H., 139
Mefford, I.N. and Garrick, N.A., Effects of xylazine on cerebrospinal fluid catecholamines in the rhesus monkey, 377
Mena, E.E., see Richter, K.E., 385
Meucci, O., see Schettini, G., 65
Meyer, D.L., see Hofmann, M.H., 389
Michler, A., see Hofmann, M.H., 389
Miranda, F.J., Torregrosa, G., Salom, J.B., Campos, V., Alabadi, J.A. and Alborch, E., Inhibitory effect of GABA on cerebrovascular sympathetic neurotransmission, 45
Misgeld, U. and Dietzel, I., Synaptic potentials in the rat neostriatum in dissociated embryonic cell culture, 149
Mobley, W.C., see Saffran, B.N., 245
Monsma Jr., F.J., Brassard, D.L. and Sibley, D.R., Identification and characterization of D_1 and D_2 dopamine receptors in cultured neuroblastoma and retinoblastoma clonal cell lines, 314
Mora, M., Marchi, M., Polak, J.M., Gibson, S.J. and Cornelio, F., Calcitonin gene-related peptide immunoreactivity at the human neuromuscular junction, 404
Mori, N., see Yokoyama, N., 158

Nikolarakis, K., see Bommer, M., 305
Nixon, R.A., see Shea, T.B., 53
Noble, E.P., see Bommer, M., 305
Noto, H., Roppolo, J.R., Steers, W.D. and De Groat, W.C., Excitatory and inhibitory influences on bladder activity elicited by electrical stimulation in the pontine micturition center in the rat, 99

Owman, C., see Chang, J.-Y., 79

Palacios, G., see Castellano, B., 203
Palkovits, M., see Gotow, T., 325
Paskevich, P.A., see Shea, T.B., 53
Polak, J.M., see Mora, M., 404

Richter, K.E. and Mena, E.E., L-β-Methylaminoalanine inhibits [^{3}H]glutamate binding in the presence of bicarbonate ions, 385
Rieske, E., Graeber, M.B., Tetzlaff, W., Członkowska, A., Streit, W.J. and Kreutzberg, G.W., Microglia and microglia-derived brain macrophages in culture: generation from axotomized rat facial nuclei, identification and characterization in vitro, 1
Robbins, E., see Chesselet, M.-F., 237
Roberts Jr., E.L., see Martin, F.R., 392
Roppolo, J.R., see Noto, H., 99
Rose, G.M., see Diamond, D.M., 356
Rosengren, E., see Kalén, P., 187
Rosenthal, M., see Martin, F.R., 392
Roy, R.R., see Hutton, R.S., 230

Saffran, B.N., Woo, J.E., Mobley, W.C. and Crutcher, K.A., Intraventricular NGF infusion in the mature brain enhances sympathetic innervation of cerebrovascular targets but fails to elicit sympathetic ingrowth, 245
Sakaguchi, T. and Bray, G.A., Effect of norepinephrine, serotonin and tryptophan on the firing rate of sympathetic nerves, 271
Salom, J.B., see Miranda, F.J., 45
Satomi, H., Takahashi, K., Kosaka, I. and Aoki, M., Reappraisal of projection levels of the corticospinal fibers in the cat, with special reference to the fibers descending through the dorsal funiculus: a WGA-HRP study, 255
Schaden, G.E., see Szabolcs, M.J., 129
Schettini, G., Florio, T., Meucci, O., Landolfi, E., Grimaldi, M., Ventra, C. and Marino, A., Somatostatin inhibition of adenylate cyclase activity in different brain areas, 65
Secunda, S.I., see Gusovsky, F., 72
Seubert, P., Lee, K. and Lynch, G., Ischemia triggers NMDA receptor-linked cytoskeletal proteolysis in hippocampus, 366
Shea, T.B., Clarke, J.F., Wheelock, T.R., Paskevich, P.A. and Nixon, R.A., Aluminum salts induce the accumulation of neurofilaments in perikarya of NB2a/dl neuroblastoma, 53
Shimoyama, M. and Kito, S., Effect of cerulein on in vivo release of acetylcholine from the rat striatum, 381
Sibley, D.R., see Monsma Jr., F.J., 314
Steers, W.D., see Noto, H., 99
Stein, L., see Trujillo, K.A., 15
Stephens, D.N. and Weidmann, R., Blockade of FG 7142 kindling by anticonvulsants acting at sites distant from the benzodiazepine receptor, 89
Strecker, R.E., see Kalén, P., 187
Streit, W.J., see Rieske, E., 1
Sun, M.-K. and Guyenet, P.G., Effects of vasopressin and other neuropeptides on rostral medullary sympathoexcitatory neurons 'in vitro', 261
Szabolcs, M.J., Kopp, M. and Schaden, G.E., Carbonic anhydrase activity in the peripheral nervous system of rat: the enzyme as a marker for muscle afferents, 129

Tabuchi, T., Umetani, T. and Yamadori, T., Corticonuclear

and corticovestibular projections from the uvula in the albino rat: differential projections from sublobuli of the uvula, 176
Taiwo, Y.O. and Levine, J.D., Contribution of guanine nucleotide regulatory proteins to prostaglandin hyperalgesia in the rat, 400
Taiwo, Y.O. and Levine, J.D., Prostaglandin effects after elimination of indirect hyperalgesic mechanisms in the skin of the rat, 397
Takagishi, Y. and Yamamura, H., Purkinje cell abnormalities and synaptogenesis in genetically jaundiced rats (Gunn rats), 116
Takahashi, K., see Satomi, H., 255
Tetzlaff, W., see Rieske, E., 1
Torregrosa, G., see Miranda, F.J., 45
Trujillo, K.A, Belluzzi, J.D. and Stein, L., Opiate antagonists and self-stimulation: extinction-like response patterns suggest selective reward deficit, 15

Umetani, T., see Tabuchi, T., 176

Ventra, C., see Schettini, G., 65
Weidmann, R., see Stephens, D.N., 89
Wheelock, T.R., see Shea, T.B., 53
Williams, T.H., see Gotow, T., 325
Woo, J.E., see Saffran, B.N., 245

Yamadori, T., see Tabuchi, T., 176
Yamamura, H., see Takagishi, Y., 116
Yokoyama, N., Mori, N. and Kumashiro, H., Chemical kindling induced by cAMP and transfer to electrical kindling, 158

Zielinski, B.S., Getchell, M.L. and Getchell, T.V., Ultrastructural evidence for peptidergic innervation of the apical region of frog olfactory epithelium, 361
Zona, C., see Dichter, M.A., 219